



Product Name:	Campy Cefex Agar, Modified
Catalog Number:	A122

Dear Customer:

This product does not require a Safety Data Sheet under the Occupational Health and Safety Administration standard entitled "Hazardous Communication" 29 CFR 1910.1200 for the United States, and Regulation (EC) No 1272/2008 for Europe.

Additionally, the product does not meet the criteria for W.H.M.I.S. classification as a controlled product. As a result, a W.H.M.I.S. Safety Data Sheet is not required (in Canada) for this product.

If you have any questions, please contact us at (800) 266-2222 option 2 or via email at [TechService@HardyDiagnostics.com](mailto:TechService@HardyDiagnostics.com).

Sincerely,

Quality Assurance Department  
Hardy Diagnostics

SDS-10192[A]

**Hardy Diagnostics** ~ 1430 West McCoy Lane ~ Santa Maria, CA 93455 ~ USA ~ (805)346-2766  
Sales@HardyDiagnostics.com ~ [www.HardyDiagnostics.com](http://www.HardyDiagnostics.com)  
**Distribution Centers:** California · Washington · Utah · Arizona · Texas · Ohio · New York · Florida · North Carolina

SOP-4277A [B]

Only 2 pages have been converted.  
Please go to <https://docs.zone> and **Sign Up** to convert all pages.