



SARS-CoV-2 Molecular Kits:

Order number	Product name	Intended use	Method	Legal status	Tests/Size
COVID-0001	SARS-CoV-2 Multiplex	Multiplex Detection Kit for SARS-CoV-2	RT-PCR	CE	50, 96
COVID-0002	"Rapid molecular SARS-CoV-2 Kit No Extraction – Results 25 Minutes"	Molecular biological rapid test for the detection of SARS-CoV-2 for use with Genie® II Mk2 / Genie® HT devices	LAMP	CE	24
COVID-0003	SARS-CoV-2 & Influenza Multiplex	Qualitative molecular detection and discrimination of Influenza A, Influenza B and SARS-CoV-2	RT-PCR	CE	50
COVID-0004	SARS-CoV-2 Multiplex Plus (SARS-CoV-2, Delta & Omicron) NEW	Qualitative molecular detection of SARS-CoV-2 PLUS Delta and Omicron variant identification	RT-PCR	CE	96, 960
COVID-0005	SARS-CoV-2 VOC 4-Plex	qualitative detection and discrimination of SARS-CoV-2 mutations E484K, Deletion HV69/70, K417N and P681H	RT-PCR	RUO	96, 960
COVID-0006	SARS-CoV-2 N501Y Multiplex	First line screening of SARS-CoV-2 Wildtype and detection of N501Y variants in one step	RT-PCR	CE	96
COVID-0007	SARS-CoV-2 Mutant Screen [D614G]	Molecular discrimination between wildtype SARS-CoV-2 and D614G mutant SARS-CoV-2	RT-PCR	RUO	96
COVID-0008	SARS-CoV-2 Mutant Screen [del HV69/70]	Molecular discrimination between wildtype SARS-CoV-2 and del HV69/70 mutant SARS-CoV-2	RT-PCR	RUO	96
COVID-0009	SARS-CoV-2 Mutant Screen [E484K]	Molecular discrimination between wildtype SARS-CoV-2 and E484K mutant SARS-CoV-2	RT-PCR	RUO	96
COVID-0010	SARS-CoV-2 Mutant Screen [E484Q]	Molecular discrimination between wildtype SARS-CoV-2 and E484Q mutant SARS-CoV-2	RT-PCR	RUO	96
COVID-0011	SARS-CoV-2 Mutant Screen [F490S]	Molecular discrimination between wildtype SARS-CoV-2 and F490S mutant SARS-CoV-2	RT-PCR	RUO	96
COVID-0012	SARS-CoV-2 Mutant Screen [K417N]	Molecular discrimination between wildtype SARS-CoV-2 and [K417N] mutant SARS-CoV-2	RT-PCR	RUO	96
COVID-0013	SARS-CoV-2 Mutant Screen [L452Q]	<i>Molecular discrimination between wildtype SARS-CoV-2 and [L452Q] mutant SARS-CoV-2</i>	RT-PCR	RUO	96
COVID-0014	SARS-CoV-2 Mutant Screen [L452R]	<i>Molecular discrimination between wildtype SARS-CoV-2 and [L452R] mutant SARS-CoV-2</i>	RT-PCR	RUO	96
COVID-0009	SARS-CoV-2 Mutant Screen [N439K]	<i>Molecular discrimination between wildtype SARS-CoV-2 and [N439K] mutant SARS-CoV-2</i>	RT-PCR	RUO	96
COVID-0010	SARS-CoV-2 Mutant Screen [N501Y]	<i>Molecular discrimination between wildtype SARS-CoV-2 and N501Y mutant SARS-CoV-2</i>	RT-PCR	CE	96
COVID-0011	SARS-CoV-2 Mutant Screen [P681H]	<i>Molecular discrimination between wildtype SARS-CoV-2 and P681H mutant SARS-CoV-2</i>	RT-PCR	RUO	96
COVID-0012	SARS-CoV-2 Mutant Screen [P681R]	<i>Molecular discrimination between wildtype SARS-CoV-2 and P681R mutant SARS-CoV-2</i>	RT-PCR	RUO	96
COVID-0013	SARS-CoV-2 Mutant Screen [Q677H]	<i>Molecular discrimination between wildtype SARS-CoV-2 and [Q677H] mutant SARS-CoV-2</i>	RT-PCR	RUO	96
COVID-0014	SARS-CoV-2 Mutant Screen [T265I]	<i>Molecular discrimination between wildtype SARS-CoV-2 and [T265I] mutant SARS-CoV-2</i>	RT-PCR	RUO	96
COVID-0015	SARS-CoV-2 Mutant Screen [V1176F]	<i>Molecular discrimination between wildtype SARS-CoV-2 and [V1176F] mutant SARS-CoV-2</i>	RT-PCR	RUO	96
COVID-0016	Gargling/Saliva Collection Kit	<i>High-quality saliva samples collecting kit for subsequent laboratory testing</i>	-	CE	150 Pcs.

